

	RC10GT & RTR GT		
MC 59	McCOY GLOW PLUG	1	3.95
2661	CLUTCH NUT CLIPS	6	.75
3216	WASHER, #4	12	1.00
3719	NYLON WIRE TIES, 6" heavy duty	12	2.00
3720	NYLON TIES, 8", light duty for receiver	12	2.00
3721	SELF-TAPPING screw, 2-56 X 1/4"	12	1.00
3976	3/8 x 5/8 BALL BEARING, unflanged	pr	6.00
3977	3/16 x 3/8 BALL BEARING, unflanged	pr	7.00
4118	.014 SPRING	pr	2.00
4145	4-40 X 5/16 SOCKET HEAD SCREW	6	1.50
5407	RED SILICONE "O" RINGS only, as used in rebuild kits #6440	8	2.00
5420	SILICONE SHOCK OIL, 10 wt. 2 ounce bottle	1	3.50
5421	SILICONE SHOCK OIL, 20 wt. 2 ounce bottle	1	3.50
5422	SILICONE SHOCK OIL, 30 wt. 2 ounce bottle	1	3.50
5423	SILICONE SHOCK OIL, 40 wt. 2 ounce bottle	1	3.50
5425	SILICONE SHOCK OIL, 80 wt. 2 ounce bottle	1	3.50
5427	SILICONE SHOCK OIL, 15 wt. 2 ounce bottle	1	3.50
5428	SILICONE SHOCK OIL, 25 wt. 2 ounce bottle	1	3.50
5429	SILICONE SHOCK OIL, 35 wt. 2 ounce bottle	1	3.50
6155	PRO-LINE GT BODY, F150	1	21.95
6210	FRONT BLOCK CARRIER, 30 deg. caster (kit standard)	pr	3.00
6211	FRONT BLOCK CARRIER, 5° caster	pr	4.50
6212	FRONT BLOCK CARRIER, 10° .caster	pr	4.50
6213	FRONT BLOCK CARRIER, 15° caster	pr	3.00
6214	FRONT BLOCK CARRIER, 20° caster	pr	4.50
6215	FRONT BLOCK CARRIER, 25° caster	pr	4.50
6220	ALUMINUM FRONT INLINE AXLE. Axle thread is now 5-40, not 4-40. Uses #6222 black nylon locknut. Now standard on all off road cars & trucks.	pr	6.00
6221	INLINE STEERING BLOCK, for alum. axles. Now standard on all off road cars & trucks.	pr	2.00
6222	SELF-THREADING NYLON LOCKNUT, for #6220 axles	8	2.00
6223	KINGPIN with clips, 1.00"	pr	2.50
6227	HINGE PIN, outer, with clips, 1.020"	pr	2.50
6242	FRONT WHEEL LOCKNUTS, 4-40	6	1.00
6261	TURNBUCKLE, 1.25"	pr	3.00
6265	STEERING DRAG LINK, molded	1	2.00
6270	SHORT BALL ENDS, steel, (4-40 threaded ball studs) w/plastic end caps	2	2.50
6272	BALL END DUST COVER	28	2.00
6273	LONG BALL END, .10" longer thread than #6270, with cups and nuts. Stainless steel.	2	2.50
6274	BALL CUP, standard size, nylon	14	5.00
6280	ALUMINUM FLAT HEAD Machine screw, 8-32 X 1/2"	16	2.00
6284	4-40 X 1/4" SOCKET HEAD SCREW	8	4.00
6285	SOCKET HEAD Cap screw, 4-40 X 1/4" steel	12	2.00
6291	FLAT HEAD Socket screw, 4-40 X 1/4"	6	2.00
6292	FLAT HEAD Socket screw, 4-40 X 3/8"	6	2.00
6295	4-40 NUTS, 6 each, plain nut, nylon & steel locknuts	18	2.00
6299	1/8" E-CLIP	12	1.00
6332	HOOD PINS	6	.75
6338	ANTENNA KIT	1	2.00
6372	DOGBONE SPRINGS & SPACERS	4	.75
6374	REAR STUB AXLE with roll pin. Only fits #7800 or #7802 rear wheels	1	5.00
6375	ROLL PIN for stub axle. Fits #6374 or 7362 rear axles	6	.75
6381	HINGE PIN, rear, outer. Fits #6355 or #7354 rear A-arms	2	2.50
6388	CONE WASHER, 1/4" x .400 x .006	4	1.00
6424B	SHOCK BODY, rear, 1.32, BLUE	1	6.75

6425B	SHOCK BODY, front, 1.02, BLUE	1	6.75
6428	END CAP, molded composite.	1	2.25
6429	SHOCK ASSEMBLY TOOL	1	1.00
6431	SHOCK SET, rear, 1.32, RACING	pr	30.00
6432	SHOCK SET, front, 1.02, RACING	pr	30.00
6435	SHOCK BODY, rear, 1.32, RACING	1	8.50
6436	SHOCK BODY, front, 1.02, RACING	1	8.50
6440	REBUILD KIT, for 4 shocks	set	4.00
6458	SHOCK SHAFT 1.32 Stroke	1	3.00
6459	SHOCK SHAFT 1.02 Stroke	1	3.00
6464	PISTONS, all 0.4 bore shocks	4	3.00
6465	SHOCK PISTON, 4 each of #1, #2 & #3 to adjust dampening	12	3.00
6466	SHOCK DOWNSTOP, (travel limiters), 4 ea. of 3 sizes 1/8" (.125"), 1/16" (.062") and 1/32" (.031").	set	1.50
6469	O-RING, shock end caps-to-body seals	4	1.50
6470	MOUNTING KIT, with rod ends, for 2 shocks	1	4.50
6471	ROD ENDS for 2 shocks, .230 ball	pr	3.00
6472	NYLON LOCKNUT	4	1.00
6473	SHOCK BUSHINGS	4	1.00
6475	SPRING COLLAR & CUP	set	5.00
6478	TRUCK & BUGGY REAR RACING SPRING, silver	pr	2.50
6480	TRUCK & BUGGY REAR RACING SPRING, green	pr	2.50
6481	TRUCK & BUGGY REAR RACING SPRING, black	pr	2.50
6568	SPUR GEAR SCREWS	4	1.50
6570	IDLER SHAFT & GEAR SET	set	3.50
6571	DRIVE GEAR/SHAFT ASSEMBLY, roll pin	1	9.00
6573	DIFF THRUST WASHER	2	3.00
6574	PRECISION THRUST BALLS, 5/64"	6	2.00
6575	DIFF THRUST BOLT, Thrust Bearing Cover, Dogbone Spacers & Locking T-nut	set	2.00
6581	CARBIDE DIFF BALLS, large 3/32"	12	12.00
6582	DIFF THRUST SPRING	1	1.50
6587	TORQUE CONTROL SPRING & LOCKNUT	set	1.50
6588	BLACK GREASE	1	2.50
6589	5/32" x 5/16" BALL BEARING, unflanged	pr	13.00
6591	STEALTH DIFF LUBE	1	2.50
6594	THRUST BEARING WASHER, replaces #6586 thrust bearing	set	2.00
6595	COMPLETE BUSHING SET FOR STEALTH TRANSMISSION	9	5.00
6597	5/32" x 5/16" BUSHING, unflanged	2	1.00
6598	3/8" x 5/8" BUSHING, unflanged	2	1.50
6599	3/16" x 3/8" BUSHING, unflanged	4	2.00
6629	LOCKNUT 5-40	2	1.00
6727	SERVO TAPE STRIP	2	2.00
6860	4-40 X 3/8" SOCKET HEAD CAP SCREW	6	2.50
6933	4-40 X 5/16" SOCKET HEAD CAP SCREW	6	2.00
6939	4-40 X 1/4" FLAT HEAD SCREW	6	2.00
6942	8-32 X 1/2" FLAT HEAD SCREW	6	2.00
6902	3/16" X 5/16" BALL BEARING, flanged	pr	15.00
6918	BUTTON HEAD Cap screw, 4-40 X 1/2"	6	2.00
6919	BUTTON HEAD Socket screw, 4-40 X 5/16"	6	2.00
6924	SOCKET HEAD Cap screw, 4-40 X 3/8"	6	2.00
6925	SOCKET HEAD Cap screw, 4-40 X 1/2"	6	2.00
6927	SOCKET HEAD Cap screw, 4-40 X 3/4"	6	2.00
6928	SOCKET HEAD Cap screw, 4-40 X 1" (for Yokomo exhaust manifold installation)	6	2.00
6932	SOCKET HEAD Cap screw, 4-40 X 5/16"	6	2.00
6936	ALUMINUM WASHER, #4	10	1.00
6951	SET SCREWS & WRENCH, 4-40 X 1/8"	6	2.50
7206	TRUCK FRONT A-ARM, (new design) black composite material	pr	7.00

7207	FRONT BULKHEAD, nylon	1	5.00
7208	FRONT BULKHEAD ALUMINUM SUPPORT	1	1.50
7209	HINGE PIN, inner, with clips, 1.675"	pr	2.50
7215	GT RACING FRONT SHOCK TOWER	1	7.00
7216	GT RACING FRONT SHOCK TOWER, composite	1	12.00
7217	SHOCK/TURNBUCKLE ROD END, nylon w/plastic pivot ball (replaces #7660 w/steel ball end)	2	3.00
7253	TURNBUCKLE, 2.62"	1	3.00
7260	THIN PLAIN NUT, 4-40, for ball ends	12	2.00
7306	TRUCK NOSE PLATE SCREW SET	1	2.00
7314	GT FRONT TUBE MOUNTS	pr	4.00
7315	NOSE BRACE TUBES, blue	pr	5.50
7318	FRONT BODY MOUNT BRACE	1	2.50
7319	FRONT BODY MOUNTS	pr	1.50
7323	REAR BODY MOUNTS with screws	pr	3.00
7324	FRONT BUMPER, nylon	1	2.50
7336	SERVO MOUNT & OFFSET SPACER	set	2.50
7337	SMALL WASHER	4	1.00
7354	TRUCK REAR A-ARMS, composite (requires use of #6381 hinge pin)	pr	7.00
7356	REAR A-ARM HINGE PIN, inner; clips, 2.084"	pr	3.00
7360	BUSHING, 1/4 X 3/8" unflanged, for #6374 or 7362 rear axles.	4	2.00
7361	DOGBONE	1	7.00
7365	REAR HUB CARRIERS, 0° toe-in per side	pr	3.50
7367	REAR HUB CARRIERS, 1.5° toe-in per side	pr	4.50
7368	REAR AXLE SHIMS 3/16" I.D. X .010", fits MIP® CVD's and #7367 axles.	14	1.50
7369	1/16" REAR AXLE ROLL PINS, fits MIP® CVD's and #7367 axles.	4	1.00
7377	REAR AXLE BEARING SPACER, aluminum (fits only the #7367 rear axle and MIP® CVD's)	2	1.50
7379	MIP® CVD BONE, for T2/T3 or GT	1	11.50
7380	MIP® CVD AXLE, for T2/T3 or GT	1	8.00
7381	MIP® CVD REBUILD KIT, for two axles	set	8.50
7383	MIP® CVD'S, rebuildable universal axles.	pr	35.50
7425	TRUCK FRONT RACING SPRING, gold	pr	2.50
7426	TRUCK FRONT RACING SPRING, black	pr	2.50
7427	TRUCK FRONT RACING SPRING, green	pr	2.50
7428	TRUCK FRONT RACING SPRING, silver	pr	2.50
7429	TRUCK FRONT RACING SPRING, blue	pr	2.50
7430	TRUCK FRONT RACING SPRING, red	pr	2.50
7434	TRUCK REAR RACING SPRING, blue	pr	2.50
7435	TRUCK REAR RACING SPRING, gold	pr	2.50
7436	TRUCK REAR RACING SPRING, red	pr	2.50
7526	REAR BULKHEAD	1	3.00
7527	SERVO MOUNTS	2pr	2.50
7528	ANTENNA/RECEIVER MOUNT	1	2.00
7529	REAR BUMPER	1	3.50
7530	FOAM PAD, for mounting receiver battery pack	1	1.50
7531	SERVO SAVER, plastic only	pr	2.50
7532	SERVO SAVER KIT COMPLETE	1	11.00
7551	BRAKE BRACKET, plated	1	2.50
7552	BRAKE SHOE, plated	1	1.50
7553	BRAKE DISC, fiber	1	4.00
7554	DISC BRAKE ADAPTER, plastic	1	1.00
7555	DISC BRAKE CAM,, steel	1	3.00
7556	BRAKE CAM CLIP (push nut)	6	1.50
7557	THROTTLE PIVOT, aluminum	1	2.00
7558	THROTTLE PIVOT CLIP (push nut)	6	1.50
7559	SERVO HORN ADAPTER, plastic	1	1.50
7560	BRAKE/THROTTLE LINKAGE KIT, complete	1	9.00
7561	DISK BRAKE ADAPTER, aluminum	1	3.50

7562	THROTTLE RETURN SPRING SET	set	3.50
7601	CLUTCH SHOE, PTFE	pr	7.00
7602	CLUTCH NUT for Dynamite engine	1	5.00
7603	CLUTCH NUT (fits Yokomo and new OS Max engines)	1	5.00
7604	CLUTCH NUT, special (fits OS Max crankshafts made before Oct. 1993)	1	5.00
7605	15 TOOTH, 32 PITCH CLUTCH BELL, steel. Recommended gear for small, tight, off road tracks.	1	8.00
7606	16 TOOTH, 32 PITCH CLUTCH BELL, steel. Recommended gear for larger off road tracks.	1	8.00
7607	17 TOOTH, 32 PITCH CLUTCH BELL, steel. For use on oval track racing (will not fit pull start engines)	1	8.00
7608	18 TOOTH, 32 PITCH CLUTCH BELL, steel. For use on large oval track racing (will not fit pull start engines). WARNING: May require after-market parts and modification to truck.	1	8.00
7610	FLYWHEEL, non-pull start engine (Yokomo, Dynamite, OS Max)	1	8.00
7611	RACING FOUR SHOE FLY-WHEEL, requires two #7601 clutch shoe sets, not included	1	10.00
7612	FLYWHEEL, pull start engine (Yokomo, Dynamite, OS Max)	1	8.00
7617	PICCO SPACER	2	.75
7618	FLYWHEEL COLLET, with spacer shim	1	3.00
7619	FLYWHEEL PIN	2	1.00
7620	SPECIAL CUT OFF NUT, for cutting crankshaft to correct length for clutch nut installation (Yokomo, Dynamite and OS Max)	1	2.50
7633	BUTTON HEAD Socket Screw, 4-40 x 5/8"	6	2.00
7651	REAR SUSPENSION MOUNTS, 3° toe-in per side	pr	2.00
7652	REAR SUSPENSION MOUNTS, 3° toe-in, 2° anti-squat per side	pr	2.50
7654	RACING REAR SHOCK TOWER	1	7.00
7656	RACING REAR SHOCK TOWER, carbon fiber	1	12.00
7657	REAR SHOCK MOUNTS, nylon	2	2.00
7661	TRANSMISSION CASE	1	6.00
7662	64 TOOTH, 32 PITCH SPUR GEAR	1	4.00
7663	66 TOOTH, 32 PITCH SPUR GEAR	1	4.00
7664	DIFF GEAR, 2.60:1	1	2.50
7665	DRIVE SHAFT ROLL PIN	6	1.00
7666	DIFF DRIVE RINGS, 2.60:1	2	1.50
7667	DIFF OUTDRIVE HUB, right, 2.60:1	1	7.50
7668	DIFF OUTDRIVE HUB, left, 2.60:1	1	7.50
7669	DRIVE SHAFT SPACER	6	2.00
7670	TRANSMISSION BRACE	1	2.00
7672	FLAT HEAD Socket Screw, 4-40 x 7/8"	6	2.00
7673	FLAT HEAD Socket screw, 4-40 X 5/16"	6	2.00
7675	LIGHTWEIGHT ALUMINUM SCREW SET, for all RC10GT models (70 screws)	1	17.00
7705	AIR FILTER KIT, consists of paper filter, foam prefilter, and air filter boot	1	7.50
7706	PAPER AIR FILTER ELEMENT	1	3.00
7707	FOAM PREFILTER ELEMENT	4	2.50
7708	AIR FILTER BOOT	1	3.00
7709	NYLON WIRE TIES, 4" light duty	12	1.25
7720	FUEL TANK, plastic, 75cc	1	14.00
7723	FUEL TANK FITTING	1	4.00
7724	FUEL TUBING, 15"	1	2.00
7725	FUEL TUBING, 3 feet	1	4.00
7728	GT MUFFLER BRACKET	1	3.00
7729	RTR MUFFLER BRACKET	1	3.00
7730	MUFFLER, TUNED PIPE	1	21.00
7733	SILICONE EXHAUST TUBING, 2"	1	2.00
7734	GASKET, exhaust manifold	3	2.00
7735	EXHAUST MANIFOLD, for pull start engine (Yokomo, Dynamite and OS Max)	1	12.50
7736	EXHAUST MANIFOLD, for non-pull start engine (Yokomo, Dynamite and OS Max)	1	12.50
7740	MUFFLER, black anodized	1	37.00

7741	MUFFLER, polished (chrome look)	1	37.00
7742	MUFFLER, blue anodized	1	37.00
7743	MUFFLER, purple anodized	1	37.00
7748	MANIFOLD, PULL START, black anodized	1	20.00
7749	MANIFOLD, PULL START, polished (chrome look)	1	20.00
7750	MANIFOLD, PULL START, blue anodized	1	20.00
7751	MANIFOLD, PULL START, purple anodized	1	20.00
7756	MANIFOLD, NON PULL START, black anodized	1	20.00
7757	MANIFOLD, NON PULL START, polished (chrome look)	1	20.00
7758	MANIFOLD, NON PULL START, blue anodized	1	20.00
7759	MANIFOLD, NON PULL START, purple anodized	1	20.00
7765	RTR BLUE CHASSIS	1	45.00
7767	NOSE TUBE MOUNT (RTR)	pr	5.00
7770	NON PULL START ENGINE MOUNT	1	9.00
7771	PULL START ENGINE MOUNT	1	8.50
7772	TRANSMISSION MOUNT	1	9.00
7773	6-32 X 3/8" BUTTON HEAD SCREW	4	2.00
7774	GT FRONT BUMPER	1	3.00
7874	4-40 X 7/16" SOCKET HEAD CAP SCREW	6	2.00
8182	8-32 PLAIN NUT	6	2.00
8846	PRELOAD SPACER, 4 each of 4 different sizes	1	3.00
8902	22 TOOTH, 32 PITCH CLUTCH BELL, steel.	1	8.50
8904	24 TOOTH, 32 PITCH CLUTCH BELL, steel.	1	8.50
8916	56 TOOTH 32 PITCH SPUR GEAR	1	4.00
8918	58 TOOTH 32 PITCH SPUR GEAR	1	4.00
8920	60 TOOTH 32 PITCH SPUR GEAR	1	4.00
9158	SERVO SAVER TUBE & NUT	1	4.50
9180	SERVO HORNS, molded (1 ea. fits Airtronics, Futaba, Hitec or JRpropo)	1	2.50
9251	TORQUE CONTROL HUB, inner	1	7.50
9252	TORQUE CONTROL HUB, outer	1	7.50
9253	CLUTCH DISC	1	3.00
MC-59	HIGH PERFORMANCE GLOW PLUG	1	3.65
SP-406	FACTORY TEAM CAP, BLUE	1	15.95
SP-407	FACTORY TEAM CAP, BLACK	1	15.95
1105	GREEN SLIME SHOCK LUBE	1	2.50
1110	FACTORY TEAM TURNBUCKLE WRENCH	1	1.50
1280	GT FACTORY BLUE TITANIUM TURNBUCKLES, complete set	1	30.00
1401	FACTORY BLUE TITANIUM TURNBUCKLE, 1.30"	pr	8.00
1408	FACTORY BLUE TITANIUM TURNBUCKLE, 2.62"	pr	10.00
1520	GT TITANIUM TURNBUCKLE/HINGE PIN COMBO, complete set	1	46.00
1594	FACTORY TEAM BODY MOUNTING HOLE REAMER	1	22.00
1595	CHASIS LEAD WEIGHTS, 1/4 OZ	12	3.00
1596	FACTORY TEAM LOCKING ADHESIVE	10ml	3.95
1620	GT TITANIUM HINGE PIN SET, complete	1	18.00
6220B	FACTORY BLUE INLINE FRONT AXLES	pr	7.50
6312	CHASSIS PROTECTIVE SHEET	1	8.50
6416	UNOBTAINIUM SHOCK SHAFT 1.32 Stroke, rear	1	6.00
6417	UNOBTAINIUM SHOCK SHAFT 1.02 Stroke, front	1	6.00
6937	FACTORY BLUE 4-40 LOCKNUTS	6	3.00
6943	FACTORY BLUE 8-32 LOCKNUTS	6	4.00
7193	COMPLETE TUNING GUIDE: GT	1	3.95
7216	FRONT SHOCK TOWER, GRAPHITE	1	12.00
7561B	ALUMINUM BRAKE ADAPTER, BLUE	1	5.00
7656	REAR SHOCK TOWER, GRAPHITE	1	17.00
7675	FACTORY BLUE ALUMINUM SCREW KITS	1	17.00
7710	PRE-FILTER TREATMENT	1	2.50
7712	SILVER .190 CARB RESTRICTER, for OS Max engines	1	3.50
7713	BLUE .180 CARB RESTRICTER, for OS Max engines	1	3.50
7714	BLACK .170 CARB RESTRICTER, for OS Max engines	1	3.50

7740	BLACK TUNED PIPE	1	37.00
7741	CHROME TUNED PIPE	1	37.00
7742	BLUE TUNED PIPE	1	37.00
7743	PURPLE TUNED PIPE	1	37.00
7748	BLACK PULL START MANIFOLD	1	20.00
7749	CHROME PULL START MANIFOLD	1	20.00
7750	BLUE PULL START MANIFOLD	1	20.00
7751	PURPLE PULL START MANIFOLD	1	20.00
7756	BLACK NON PULL START MANIFOLD	1	20.00
7757	CHROME NON PULL START MANIFOLD	1	20.00
7758	BLUE NON PULL START MANIFOLD	1	20.00
7759	PURPLE NON PULL START MANIFOLD	1	20.00
7769	ONE-PIECE GT BLUE CHASSIS	1	45.00
7873	4-40 X 1/2" SOCKET HEAD CAP SCREW	6	2.50
9156B	BLUE SERVO SAVER TUBE & NUT	1	6.50
6134	NARROW GAS TRUCK BODY II	1	18.00
6155	PRO-LINE F150 GT BODY with spoiler (kit body)	1	21.95
7185	TRUCK REAR SPOILER	1	2.00
	<i>Contact Pro-Line for other bodies for the GT.</i>		
7060	FACTORY TEAM GT, non pull start	1	482.95
7061	FACTORY TEAM GT pull start	1	482.95
7067	RC10GT TEAM KIT, pull start	1	419.95
7068	RC10GT TEAM KIT, non pull start	1	419.95
7090	RTR GT GAS TRUCK	1	479.95
7700	PTFE SEALED BEARING KIT for GT, B3, T3	set	95.00
7701	GT PTFE SEALED BEARING KIT (with clutch bearings)	set	105.00
7702	RTR RUBBER SEALED BEARING KIT	set	65.00
7703	GT RUBBER SEALED BEARING KIT	set	70.00
7802	REAR WHEEL, one piece, lightweight. White (Fits only #6374 or #7362 axles)	pr	7.00
7802B	TRUCK REAR WHEELS, 1 piece, 2.2", black. (Fits only #6374 or #7362 axles)	pr	7.00
7802Y	TRUCK REAR WHEELS, 1 piece, 2.2", fluorescent yellow. (Fits only #6374 or #7362 axles)	pr	7.00
7803	NEW TRUCK REAR WHEEL, 1 piece, 2.2" white (fits MIP® CVD's or #7367 rear axles only.)	pr	7.00
7803B	NEW TRUCK REAR WHEEL, 1 piece, 2.2" black (fits MIP® CVD's or #7367 rear axles only.)	pr	7.00
7803Y	NEW TRUCK REAR WHEEL, 1 piece, 2.2" fluorescent yellow (fits MIP® CVD's or #7367 rear axles only.)	pr	7.00
7822	REAR TIRE, PROLINE®- XTR-M2 compound, "Mini Pin" design, 2.2" w/foam inserts	pr	17.95
7824	REAR TIRE, PRO-LINE® M2 compound, "Bow Tie" design, with foam inserts. 2.2". New standard tire for Truck kits	pr	17.95
7842	WIDE FRONT WHEEL, one piece, lightweight	pr	7.00
7842B	TRUCK FRONT WHEELS, 1 piece, 2.2", black	pr	7.00
7842Y	TRUCK FRONT WHEELS, 1 piece, 2.2", fluorescent yellow	pr	7.00
7877	FRONT TIRE, PRO-LINE® M2 compound, "Edge" design, 2.2" w/foam inserts	pr	17.95
7880	TRUCK TIRE INSERT, white	pr	2.00
1110	FACTORY TEAM TURNBUCKLE WRENCH	1	1.50
1594	FACTORY TEAM BODY MOUNTING HOLE REAMER	1	22.00
6950	ALLEN WRENCH SET, 3/32", 1/16", .050, .035	set	2.50
6956	ASSOCIATED MOLDED TOOL SET. Wrenches to install 11/32", 1/4", and 3/16" nuts, adjust 1/8" and 3/16" turnbuckles, and install and remove Associated shock caps.	set	4.50
6957	.050" ALLEN DRIVER, clear anodized alum. hex handle, precision ground	1	10.50

	replaceable tip		
6958	1/16" ALLEN DRIVER, black anodized alum. hex handle, precision ground replaceable tip	1	10.50
6959	5/64" ALLEN DRIVER, blue anodized alum. hex handle, precision ground replaceable tip	1	10.50
6960	3/32" ALLEN DRIVER, gold anodized alum. hex handle, precision ground replaceable tip	1	10.50
6961	2.5mm ALLEN DRIVER, green anodized alum. hex handle, precision ground replaceable tip	1	10.50
6962	1.5mm ALLEN DRIVER, purple anodized alum. hex handle, precision ground replaceable tip	1	10.50
6964	.050" REPLACEMENT TIP, precision ground	1	5.50
6965	1/16" REPLACEMENT TIP, precision ground	1	5.50
6966	5/64" REPLACEMENT TIP, precision ground	1	5.50
6967	3/32" REPLACEMENT TIP, precision ground	1	5.50
6968	2.5mm REPLACEMENT TIP, precision ground	1	5.50
6969	1.5mm REPLACEMENT TIP, precision ground	1	5.50
SP-42	T3/GT T-SHIRT. T3 printed on front & GT on back in full color on 100% cotton. Specify M, L, XL.	1	13.00
SP-42 XXL	T3/GT T-SHIRT. T3 printed on front & GT on back in full color on 100% cotton.	1	15.00
SP-406	FACTORY TEAM CAP. Low crown style. Heavy brushed twill cap has contrasting stitch. Buckle back adjustable. One size fits all. Blue color.	1	15.95
SP-407	FACTORY TEAM CAP. Black color.	1	15.95
3811	RC10GT DECALS, fluorescent red and yellow with "GT" in white smoke	1	2.00
3817	ASSOCIATED BUMPER STICKERS, 1 large, 1 small. Red, white & blue.	2	4.00
3818	TEAM ASSOCIATED logo decal sheet, black	1	1.00
3819	TEAM ASSOCIATED logo decal sheet, white	1	1.00
3820	"AE" logo decal sheet	1	2.00
3824	FACTORY TEAM "DRIVER" DECAL, 10" x 4.25"	1	2.00
3825	FACTORY TEAM LOGO DECAL SHEET	1	2.00
6196	ASSOCIATED LOGO DECAL SHEET	1	2.00
7195	TRUCK DECAL SHEET, for the #6122 body	1	4.00
7197	RC10GT GAS TRUCK DECAL SHEET, 4 color Mylar	1	2.50
SP-415	ASSOCIATED CAR CARRIER BAG. Heavy duty reinforced nylon with brass zipper. (Boxes not included.)	1	39.95
SP-100	ASSOCIATED CAR CARRIER BOXES. Fits inside #SP-415 bag. Three 24 x 12 x 6" inner boxes fit into one double thickness box with locking end flap. (Bag not included.) <i>Due to its large size, add \$15.00 to shipping charges.</i>	set	15.00
SP-101	INNER BOXES. Three 24 x 12 x 6" inner boxes.	set	5.25